

Steadicam Kit

Main Rig:

Steadicam Shadow 12/24V
Steadicam Volt Cine horizon assist
Steadicam G50X arm
Steadicam Ultra2 Vest



Monitor:

Steadicam 7" Daylight viewable (2300 cd/m2)
Marshall V-LCD651STX
Marshall/Steadicam V-LCD70XHB

Power:

4x Swit S-8113s V-mount (160Wh, High load 12A)
2x IDX Endura E7s V-mount (68Wh)
Swit S-3812s fast charger (6A, dual ch. sim.)
IDX VL2-Plus (dual ch. seq.)



Backup rig:

Steadicam Zephyr 12/24V



AKS:

Bartech Wireless focus
M-One lens motor (analog)

Teradek Bolt Pro 2000
(no latency wireless HD video link)



CamTec no vibration lock plate
Sony/GV ENG/broadcast cameras
Arri Alexa (with Arri WA-1 adapter)
15mm rails



CamTec SOS plate
(fast switch between Steadicam and tripod)



G-Zoom (zoom and focus control)

Zoom 8 pin - 20 pin cable
Zoom 8 pin - 12 pin (Fuji) cable
Zoom 8 pin - XDCAM cable
Focus 20 pin HRS cable for Canon
Focus 4 Pin Lemo cable for Bartech



Triax thin jumper cable for steadicam
(Trompeter TRC75-1/Fischer 1051)

Decimator MD-HX
(SDI/HDMI cross converter and SDI distribution)



Blackmagic Downconverter
(SDI to Analog)



Atomos H2S
(HDMI to SDI converter)



Transport:

Foldable cart with pneumatic wheels and Steadicam dock



Electronic stabilizer:

DJI Ronin kit

- arm and pan bar extensions
- two batteries
- thumb controller
- Ronin hard mount



Steadicam Steadimate

(for mounting electronic stabilizers on Steadicam arm)

